ThinkVision P27u-10 61CBGAR1EU

Product

ThinkVision P27u-10

Machine Type 61CB

Region EMEA

Display Size

View Area 596.74x335.66 mm

Panel In-Plane Switching

Aspect Ratio 16:9

Resolution 3840x2160

Pixel Pitch 0.1554x0.1554 mm

Dot / Pixel Per Inch 163 dpi

View Angle (H / V) 178 / 178

Pixel Response Time 6 ms

Color Support 1.07 Billion

Refresh Rate 60 Hz

Brightness 350 nits

Contrast Ratio 1000:1

Color Gamut 99.5% Adobe RGB

Curvature None

Anti-glare Yes

Video Connector 2xHDMI, DP, USB Type-C

USB Port 4x USB 3.0 (1x BC 1.2)

Camera None

Microphone None

Speakers None Power Consumption (Typical / Maximum) 50W / 160W

Power Adapter Integrated

Stand Tilt, Swivel, Pivot, Height Adjust Stand

Color Black

Side Bezel Width 2 mm

Dimensions with Stand (HxWxD) 513x611.6x269.8 mm / 20.2x24.08x10.62 inches

Weight (Including Stand) 6.95 kg / 15.32 lbs.

Cables Included DP cable, USB 3.1 Type-C cable

Environmental Certification TCO 7.0, TCO Edge 2.0, RoHS

Ergonomic Certification TÜV Rheinland Eye Comfort

Base Warranty 3-year

Operating System Support Support Windows 7, Windows 10

Sync Technology None

Tiny Support / CPU / Platform None / None / None

Ethernet / Bluetooth / Wireless None / None / None

Touch Screen / Digitizer Pen / Battery None / None / None

Display Ram / Storage / Card Slot None / None / None

EAN / UPC / JAN 0192330562089 / 192330562089 / None

Announce Date 2017-08-23

L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

https://psref.lenovo.com

PSREF

Visit psref website for the latest version of Product specifications Reference. © Lenovo, 2023. All rights reserved.



Think Vision P27u-10 MONITOR

27"

WIFD

16:9

Yes

3840 x 2160

350 cd/m²

1.07 Billion

178°/178°

1000:1

3M:1

163

50 W

160 W

<0.5 W

<0.3 W

Internal

In-Panel Switching

596.74 (H) x 335.66 (V)

0.1554 (H) x 0.1554 (V)

99.5% Adobe RGB

100 VAC - 240 VAC

2 HDMI + DisplayPort +

HDMI*, DisplayPort, USB Type-C

Yes (USB Type-C to

Type-A Cable)

30 kHz – 160 kHz

3840 (H) x 2160 (V)

HDMI : 600 MHz DisplayPort : 5.4 Gbps USB Type-C : 5.4 Gbps/Lane

English, French, German,

Spanish, Italian, Japanese, Simplified Chinese, Russian

23 Hz – 80 Hz

6500K

5 Buttons

-5° / 30°

Yes (110)

Yes (100 x 100)

Raven Black

24.5 / 0.96"

2 / 0.08"

2 / 0.08"

+/-45°

+/-90

Yes

Yes

27/20

50 Hz - 60 Hz

USB Type-C

1.8 m

Yes

Yes

10-bit (8+ FRC) 4/6/14 ms (G-to-G)

SPECIFICATIONS

DISPLAY

Panel Size Panel Type Backlight Resolution Aspect Ratio Anti-Glare Screen Dimensions (W x H) (mm) Maximum Brightness (Typical) Viewing Angle (H/V at CR 10:1) Contrast Ratio (Typical) Dynamic Contrast Ratio Pixel Pitch (mm) Dot/Pixel Per Inch (DP/PPI) Color Gamut (CIE 1931) Color Support (Typical) Color Depth Response Time

POWER CONSUMPTION

Typical Maximum Sleep-Mode Switch Off-Mode Power Supply Power Voltage Voltage Dynamic Frequency

SIGNAL INPUT

Video Input Signals

Video Cables Supplied

Video Cable Length USB Hub USB Cable Supplied

Audio-Out

SIGNAL INTERFACE / PERFORMANCE

Horizontal Frequency Vertical Frequency Native Resolution Maximum Pixel Clock Speed/ Bandwidth

Default Color Temperature Preset/User Modes OSD Buttons OSD Languages

MECHANICAL

Tilt Angle (Front / Back) Swivel Angle (Left / Right) Lift (mm) Pivot VESA Mount (mm x mm) Kensington Lock Slot Cable Management Bezel Color Bezel Width Top (mm / inches) Bottom (mm / inches) Sides (mm / inches)

f C www.lenovo.com

ENVIRONMENTAL

Temperature Operating Non-Operating Humidity Operating Non-Operating Altitude Operating Non-Operating Arsenic-Free Glass PVC-Free Mercury-Free PCC % of Plastic Resins

DIMENSIONS (W x D x H)

Size Packed (mm) (inches) Size Unpacked with Stand Lowest Position (mm) (inches) Highest Position (mm) (inches) Size Unpacked without Stand (Monitor Head Only) (mm) (inches) Distance from Table to Panel Lowest Pixel at Bottom of Screen (mm / inches) Highest Pixel at Top of Screen (mm / inches) Stand Base Footprint Area (mm / inches) Weight Packed Unpacked Monitor Head Only

0°C – 45°C -20°C – 60°C

10% – 80% 5% – 95% 0 ft – 5000 ft

0 ft - 40,000 ft Yes Yes (without Cable) Yes 0 85

453 x 732 x 210 17.83" x 28.82" x 8.27"

611.6 x 269.8 x 403.3 24.08" x 10.62" x 15.88"

611.6 x 269.8 x 513.3 24.08" x 10.62" x 20.21"

611.6 x 45.5 x 368.4 24.08" x 1.79" x 14.5"

60.2 / 2.37"

505.8 / 19.91"

260 x 260 / 10.24" x 10.24"

Starting at 24.25 lbs (11 kg) Starting at 15.32 lbs (6.95 kg) Starting at 11.02 lbs (5 kg)

COMPLIANCE

TCO RoHS (EU 2002/95/EC) Windows Certification China Energy Efficiency Standard TCO Edge 2.0 Yes Windows 7 / Windows 10 Tier 2

WARRANTY AND AVAILABILITY

Warranty Geography Availability

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen 1; 10 Gbit/s for USB 3.1 Gen 2 & 20 Gbit/s for USB 3.2

3 Years

WW

Lenovo reserves the right to alter product offerings and specifications at any time, without notice. Lenovo makes every effort to ensure accuracy of all information but is not liable or responsible for any editorial, photographic errors. All images are for illustration purposes only. For full Lenovo product, service and warranty specifications vitix www.lenovo.com. Lenovo makes nor representations or warranties regarding third party products or services. **Trademarks**: The following are trademarks or registered trademarks of Lenovo: Lenovo, the Lenovo logo, Rescue and Recovery, Tinkhad, Thinkikan, Thinkikantage and Thinkikans, Thinkikantage and the service marks of corporation. Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Atom Inside, Intel Core, Intel Inside, Logo, Intel Atom Inside, Net Inside, Intel Inside Logo, Intel Atom Inside, Net Inside are trademarks or service marks or orbits errors. Battery life (and recharge times) will vary based on many factors including system settings and usage. Visit www.lenovo.com/lenovo/us/en/safecomp/ periodically for the latest information on safe and effective computing. **\$2020 Lenovo. All rights reserved**.

NA only

ThinkVision P27u-10









